



Mission CMS

CMS/Trunking/Dummy Bodies

Surface

HT45°C

Transport

Mission CMS is a cable management system specifically designed for transport environments.

▪ Product Information

Mission CMS, utilising our [Mission](#) luminaire, provides versatile mounting options including suspended or surface mounting. Other Mission CMS options include speakers, dummy bodies, infill panels, cameras, sensors, PA and CCTV.

Each application is unique and will be catered to your requirements. As a guide, the weight for 1 metre of Mission CMS is 18.5 kg (indication only).

Applications include covered platforms and underpasses.

TRUNKING

Impact Resistance Rating: N/A

Ingress Protection Rating: N/A

Housing: Extruded aluminium body

Paint: Polyester powder coat. All colours available,

[CLICK HERE](#).

Diffuser: N/A

Driver: N/A

Mounting: Ceiling or cornice mounting.

Cable Entry: N/A

LUMINAIRE

Impact Resistance Rating: IK16 (150J). More information, [CLICK HERE](#)

Ingress Protection Rating: IP65. More information, [CLICK HERE](#)

Housing: Extruded aluminium body with die cast aluminium end caps.

Paint: Polyester powder coat. All colours available, [CLICK HERE](#)

Diffuser: Opal polycarbonate diffuser in frame secured with tamperproof screws.

Driver: Electronic control gear on removable tray with fused plug & socket connector block.

Mounting: Ceiling or cornice mounting.

Cable Entry: Via Mission CMS

